



# Quick Reference Guide HEDIS<sup>®</sup> MY 2023

FOR MORE INFORMATION, VISIT [WWW.NCQA.ORG](http://WWW.NCQA.ORG)



---

 **meridian wellcare™ ambetter:**

*Meridian, Wellcare, and Ambetter are affiliated products serving Medicaid, Medicare, and Health Insurance Marketplace members respectively. The information presented here is representative of our network of products. If you have any questions, please contact Provider Relations.*

---

HEDIS® is a registered trademark of the National Committee for Quality Assurance (“NCQA”). The HEDIS measures and specifications were developed by and are owned by NCQA. NCQA holds a copyright in these materials and may rescind or alter these materials at any time. Users of the HEDIS measures and specifications shall not have the right to alter, enhance or otherwise modify the HEDIS measures and specifications, and shall not disassemble, recompile or reverse engineer the HEDIS measures and specifications. Anyone desiring to use or reproduce the materials, subject to licensed user restrictions, without modification for an internal non-commercial purpose may do so without obtaining any approval from NCQA. Use of the Rules for Allowable Adjustments of HEDIS to make permitted adjustments of the materials does not constitute a modification. All other uses, including commercial use, or any external reproduction, distribution, or publication must be approved by NCQA and are subject to a license at the discretion of NCQA.

This guide has been updated with information from the release of the HEDIS® MY 2023 Volume 2 Technical Specifications by NCQA and is subject to change.

# HEDIS<sup>®</sup> MY 2023 Quick Reference Guide

**Updated to reflect NCQA HEDIS<sup>®</sup> MY 2023 Technical Specifications**

Meridian, WellCare, and Ambetter from Meridian strive to provide quality healthcare to our membership as measured through HEDIS<sup>®</sup> quality metrics. We created the HEDIS<sup>®</sup> MY 2023 Quick Reference Guide to help you increase your practice's HEDIS<sup>®</sup> rates and to use to address care opportunities for your patients. Please always follow the State and/or CMS billing guidance and ensure the HEDIS<sup>®</sup> codes are covered prior to submission.

---



## What is HEDIS<sup>®</sup>?

HEDIS<sup>®</sup> (Healthcare Effectiveness Data and Information Set) is a set of standardized performance measures developed by the National Committee for Quality Assurance (NCQA) to objectively measure, report, and compare quality across health plans. NCQA develops HEDIS<sup>®</sup> measures through a committee represented by purchasers, consumers, health plans, health care providers, and policy makers.



## What are the scores used for?

As state and federal governments move toward a quality-driven healthcare industry, HEDIS<sup>®</sup> rates are becoming more important for both health plans and individual providers. State purchasers of healthcare use aggregated HEDIS<sup>®</sup> rates to evaluate health insurance companies' efforts to improve preventive health outreach for members.

Physician-specific scores are also used to measure your practice's preventive care efforts. Your practice's HEDIS<sup>®</sup> score determines your rates for physician incentive programs that pay you an increased premium — for example Pay for Performance or Quality Bonus Funds.

To learn more about the Provider Incentive Programs offered by Meridian, Wellcare, and Ambetter from Meridian, please refer to the *2023 Provider Incentive Guidebook*.



## How are rates calculated?

HEDIS® rates can be calculated in two ways: administrative data or hybrid data. Administrative data consists of claim or encounter data submitted to the health plan. Hybrid data consists of both administrative data and a sample of medical record data. Hybrid data requires review of a random sample of member medical records to abstract data for services rendered but that were not reported to the health plan through claims/encounter data. Accurate and timely claim/encounter data reduces the need for medical record review. If services are not billed or not billed accurately, they are not included in the calculation.



## How can I improve my HEDIS® scores?

- ✓ Submit claim/encounter data for each service rendered
- ✓ Make sure that chart documentation reflects all services billed
- ✓ Bill (or report by encounter submission) for all delivered services, regardless of contract status
- ✓ Ensure that all claim/encounter data is submitted in an accurate and timely manner
- ✓ Consider including CPT II codes to provide additional details and reduce medical record requests



## Questions?



**mimeridian.com** or **mmp.mimeridian.com**



**833-667-1532**



**mihedis@mhplan.com**

Providers and other healthcare staff should document to the highest specificity to aid with the most correct coding choice.

**Ancillary staff:** Please check the tabular list for the most specific ICD-10 code choice.



For more information, visit [www.ncqa.org](http://www.ncqa.org)

# Contents

## Adult Health

(AAP) Adults' Access to Preventive/Ambulatory Health Services .....	7
(ACP) Advance Care Planning .....	8
(BPD) Blood Pressure Control for Patients With Diabetes .....	10
(CBP) Controlling High Blood Pressure .....	11
(COA) Care for Older Adults .....	13
(COL) Colorectal Cancer Screening.....	15
(EED) Eye Exams for Patients With Diabetes.....	18
(HBD) Hemoglobin A1c Control for Patients With Diabetes .....	19
(KED) Kidney Health Evaluation for Patients With Diabetes .....	24
(SSD) Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who are Using Antipsychotic Medication.....	26
(TRC) Transitions of Care.....	27

## Women's Health

(BCS-E) Breast Cancer Screening .....	29
(CCS) Cervical Cancer Screening .....	30
(CHL) Chlamydia Screening in Women .....	32
(OMW) Osteoporosis Management in Women Who Had a Fracture .....	34
(OSW) Osteoporosis Screening in Older Women .....	36
(PPC) Prenatal and Postpartum Care .....	37

# Pediatric Health

(ADD) Follow-Up Care for Children Prescribed ADHD Medication .....	40
(APM) Metabolic Monitoring for Children and Adolescents on Antipsychotics .....	41
(CIS) Childhood Immunization Status .....	43
(IMA) Immunizations for Adolescents .....	46
(LSC) Lead Screening in Children .....	48
(WCV) Child and Adolescent Well-Care Visits .....	49
(W30) Well-Child Visits in the First 30 Months of Life .....	51
(WCC) Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents .....	53

# General Health

(AMR) Asthma Medication Ratio .....	55
(CWP) Appropriate Testing for Pharyngitis .....	57
(FUH) Follow-Up After Hospitalization for Mental Illness .....	58
(IET) Initiation and Engagement of Substance Use Disorder Treatment .....	61

# Medication Adherence

(AMM) Antidepressant Medication Management .....	64
(PDC-DIA) Medication Adherence for Diabetes Medications .....	67
(PDC-RAS) Medication Adherence for Hypertension-RAS antagonists.....	68
(PDC-STA) Medication Adherence for Cholesterol (Statins) .....	69
(SPC) Statin Therapy for Patients with Cardiovascular Disease .....	70
(SPD) Statin Therapy for Patients with Diabetes .....	72

# Adult Health



## (AAP) Adults' Access to Preventive/ Ambulatory Health Services

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Wellcare (Medicare)

### Description

Measure evaluates the percentage of members 20 years and older who had an ambulatory or preventive care visit during the measurement year.

Description	Codes*
Ambulatory Visits	<p><b>CPT:</b> 99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99429, 99483, 92002, 92004, 92012, 92014, 99304-99310, 99315, 99316, 99318, 99234-99328, 99334-99337</p> <p><b>HCPCS:</b> S0620, S0621, G0402, G0438, G0439, G0463, T1015</p>
Hospice Care	<p><b>HCPCS:</b> G9473-G9479, Q5003-Q5008, Q5010, S9126, T2042-T2046</p> <p><b>CPT:</b> 99377, 99378</p>

\*Codes subject to change

### Action

- ✓ Complete an appointment with all assigned patients annually

(continued)

## (AAP) Adults' Access to Preventive/ Ambulatory Health Services *(continued)*

### Tips and Best Practices

- ✓ Address all preventive health screenings and tests at appropriate intervals
- ✓ Schedule next appointment at close of visit and offer flexible appointment availability, including evening, weekends, telehealth, and family appointments
- ✓ Provide appointment reminders

### Earn Rewards!

Providers contracted through Meridian are eligible for rewards through the following provider incentive programs:

- ✓ Meridian Quality Bonus Program
- ✓ Meridian Pay for Performance-\$5/\$10/\$15



## (ACP) Advance Care Planning

### Product Lines:

- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Wellcare (Medicare)

### Description

Measure evaluates percentage of adults 66-80 years of age with advanced illness, an indication of frailty or who are receiving palliative care, and adults 81 years of age and older who had advance care planning during the measurement year.

*(continued)*



## (ACP) Advance Care Planning (continued)

Description	Codes*
Advance Care Planning	<b>CPT:</b> 99483, 99497 <b>CPT-CAT-II:</b> 1123F, 1124F, 1157F, 1158F <b>HCPCS:</b> S0257
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046 <b>CPT:</b> 99377, 99378

\*Codes subject to change

### Action

- ✓ Talk with patients about their decisions for resuscitation, life sustaining treatment, and end-of life-care
- ✓ If member does not wish to put an advance directive on file, have an advance care planning discussion with member at least once a year and document in the medical record

### Tips and Best Practices

- ✓ Regularly encourage all patients to think about what goals they would have for care if they faced a life-threatening illness or injury; identify someone they would want to have decisions on their behalf if they did not have decision-making capacity; make their views known to their designated surrogate and to other family members
- ✓ Incorporate notes from the advance care planning discussion into the medical record
- ✓ Periodically review with the patient his or her goals, preferences, and chosen decision maker, which often change over time or with changes in health status





## (BPD) Blood Pressure Control for Patients With Diabetes

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Wellcare (Medicare)

### Description

Measure evaluates percentage of members 18-75 years of age with diabetes (type 1 and type 2) whose blood pressure was adequately controlled (<140/90 mm Hg) during the measurement year.

Description	Codes*
Diastolic Less Than 80	<b>CPT-CAT-II:</b> 3078F
Diastolic 80-89	<b>CPT-CAT-II:</b> 3079F
Diastolic Greater Than/ Equal To 90	<b>CPT-CAT-II:</b> 3080F
Systolic Less Than 130	<b>CPT-CAT-II:</b> 3074F
Systolic 130-139	<b>CPT-CAT-II:</b> 3075F
Systolic Greater Than/ Equal To 140	<b>CPT-CAT-II:</b> 3077F
Palliative Care	<b>HCPCS:</b> G9054, M1017 <b>ICD-10:</b> Z51.5
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046 <b>CPT:</b> 99377, 99378

\*Codes subject to change

### Action

- ✓ Take member's blood pressure at each outpatient visit
- ✓ Indicate in the medical record all recorded blood pressure measurements, blood pressure results taken by the patient at home and reviewed via telehealth, or member-reported blood pressure readings

(continued)

## (BPD) Blood Pressure Control for Patients With Diabetes *(continued)*

### Tips and Best Practices

- ✓ If BP result is >140/90 mmHg, recheck the BP at end of the visit and document
- ✓ Follow the American Medical Association's seven simple tips to get an accurate blood pressure reading at:  
**[www.ama-assn.org/delivering-care/hypertension/one-graphic-you-need-accurate-blood-pressure-reading](http://www.ama-assn.org/delivering-care/hypertension/one-graphic-you-need-accurate-blood-pressure-reading)**
- ✓ Your patient may be eligible for automatic home blood pressure monitor through their standard Over-the-Counter benefits when supplied through in-network durable medical equipment provider

### Earn Rewards!

Providers contracted through Meridian, Ambetter from Meridian, MeridianComplete, and Wellcare are eligible for rewards through the following provider incentive programs:

- ✓ Meridian Pay for Performance - \$30/\$40/\$50
- ✓ Meridian Quality Bonus Program



## (CBP) Controlling High Blood Pressure

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Ambetter from Meridian (Marketplace)
- ✓ Wellcare (Medicare)

### Description

Measure evaluates the percentage of members 18-85 years of age who had a diagnosis of hypertension and whose BP was adequately controlled (<140/90 mm Hg) during the measurement year.

*(continued)*

## (CBP) Controlling High Blood Pressure *(continued)*

Description	Codes*
Diastolic Less Than 80	<b>CPT-CAT-II:</b> 3078F
Diastolic 80-89	<b>CPT-CAT-II:</b> 3079F
Diastolic Greater Than/ Equal To 90	<b>CPT-CAT-II:</b> 3080F
Systolic Less Than 130	<b>CPT-CAT-II:</b> 3074F
Systolic 130-139	<b>CPT-CAT-II:</b> 3075F
Systolic Greater Than/ Equal To 140	<b>CPT-CAT-II:</b> 3077F
Palliative Care	<b>HCPCS:</b> G9054, M1017 <b>ICD-10:</b> Z51.5
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046 <b>CPT:</b> 99377, 99378

\*Codes subject to change

### Action

- ✓ Take member’s blood pressure at each outpatient visit
- ✓ Indicate in the medical record all recorded blood pressure measurements, blood pressure results taken by the patient at home and reviewed via telehealth, or member-reported blood pressure readings

### Tips and Best Practices

- ✓ If BP result is >140/90 mmHg, recheck the BP at end of the visit and document
- ✓ Follow the American Medical Association’s seven simple tips to get an accurate blood pressure reading at:  
**[www.ama-assn.org/delivering-care/hypertension/one-graphic-you-need-accurate-blood-pressure-reading](http://www.ama-assn.org/delivering-care/hypertension/one-graphic-you-need-accurate-blood-pressure-reading)**
- ✓ Your patient may be eligible for automatic home blood pressure monitor through their standard Over-the-Counter benefits when supplied through in-network durable medical equipment provider

*(continued)*

## (CBP) Controlling High Blood Pressure *(continued)*

### Earn Rewards!

Providers contracted through Meridian, and MeridianComplete, and Wellcare are eligible for rewards through the following provider incentive programs:

- ✓ Wellcare Partnership for Quality- \$50
- ✓ Meridian Pay for Performance - \$30/\$40/\$50
- ✓ MeridianComplete Pay for Performance - \$40
- ✓ Meridian Quality Bonus Program
- ✓ Ambetter from Meridian Pay for Performance - \$25



## (COA) Care for Older Adults

### Product Lines:

- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Wellcare (Medicare)

### Description

Measure evaluates percentage of adults 66 years and older who had each of the following:

- ✓ Medication review
- ✓ Functional status assessment
- ✓ Pain assessment

Description	Codes*
Medication Review (would need both CPT-CAT II codes 1159F & 1160F to get credit)	<b>CPT:</b> 90863, 99605, 99606, 99483 <b>CPT-CAT-II:</b> 1159F, 1160F

*(continued)*

## (COA) Care for Older Adults *(continued)*

Description	Codes*
Functional Status Assessment	<b>CPT:</b> 99483 <b>CPT-CAT-II:</b> 1170F <b>HCPCS:</b> G0438, G0439
Pain Assessment	<b>CPT-CAT-II:</b> 1125F, 1126F
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046 <b>CPT:</b> 99377, 99378

\*Codes subject to change

### Action

#### ✓ Medication review

- Perform an annual medication review of the patient’s medications, including prescription medications, over-the-counter medications and herbal or supplemental therapies. This must be completed by a prescribing provider or a clinical pharmacist

#### ✓ Functional status assessment

- Assess the patient’s ability to perform daily tasks and identify any functional decline
- This can be documented through assessing ADLS, IADLS, or using a standardized functional status assessment tool

#### ✓ Pain assessment

- Perform an annual comprehensive pain assessment to screen the patient for the presence of pain and to assess pain intensity
- This can be documented through the use of a standardized pain assessment tool or documentation that the patient was assessed for pain and the date it was performed

*(continued)*

## (COA) Care for Older Adults *(continued)*

### Tips and Best Practices

- ✓ Ask your Quality Improvement or Provider Network Management Representative for a COA attestation form to document all required assessments

### Earn Rewards!

Providers contracted through Wellcare are eligible for rewards through the following provider incentive programs:

- ✓ Wellcare Partnership for Quality - Pain Assessment \$25; Medication Review \$25



## (COL) Colorectal Cancer Screening

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Ambetter from Meridian (Marketplace)
- ✓ Wellcare (Medicare)

### Description

Measure evaluates the percentage of members 45-75 years of age who had appropriate screening for colorectal cancer.

Description	Codes*
Colonoscopy	<b>CPT:</b> 44388–44394, 44397, 44401–44408, 45355, 45378–45393, 45398 <b>HCPCS:</b> G0105, G0121
CT Colonography	<b>CPT:</b> 74261–74263
FIT-DNA Lab Test	<b>CPT:</b> 81528

*(continued)*

## (COL) Colorectal Cancer Screening *(continued)*

Description	Codes*
Flexible Sigmoidoscopy	<b>CPT:</b> 45330–45335, 45337–45342, 45346, 45347, 45349, 45350 <b>HCPCS:</b> G0104
FOBT Lab Test	<b>CPT:</b> 82270, 82274 <b>HCPCS:</b> G0328
Palliative Care	<b>HCPCS:</b> G9054, M1017 <b>ICD-10:</b> Z51.5
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046 <b>CPT:</b> 99377, 99378

\*Codes subject to change

### Action

Inform your patient that while a colonoscopy needs to be done the least frequently, there are multiple options for colorectal cancer screenings:

- ✓ Colonoscopy: during the measurement year or nine years prior
- ✓ Fecal immunochemical test (FIT)-DNA test or Cologuard®: during the measurement year or two years prior
- ✓ Fecal occult blood test (FOBT): during the measurement year
- ✓ Flexible sigmoidoscopy: during the measurement year or four years prior
- ✓ CT colonography: during the measurement year or four years prior

### Tips and Best Practices

- ✓ Support colonoscopy scheduling at accessible in-network facility during patient visit and have referrals easily accessible or standing orders
- ✓ Reach out to your Quality Improvement or Provider Network Management Representative to find out if your patient received a FIT home test kit from the health plan

*(continued)*



## (COL) Colorectal Cancer Screening *(continued)*

### Earn Rewards!

Providers contracted through Wellcare and MeridianComplete are eligible for rewards through the following provider incentive programs:

- ✓ Wellcare Partnership for Quality - \$50
  - ✓ MeridianComplete Pay for Performance - \$30
- 



## (EED) Eye Exam for Patients With Diabetes

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Ambetter from Meridian (Marketplace)
- ✓ Wellcare (Medicare)

### Description

Measure evaluates percentage of members 18-75 years of age with diabetes (type 1 and type 2) who had a retinal eye exam.

Description	Codes*
Eye Exam with Evidence of Retinopathy	<b>CPT:</b> 2022F, 2024F, 2026F
Eye Exam Without Evidence of Retinopathy	<b>CPT:</b> 2023F, 2025F, 2033F

*(continued)*

## (EED) Eye Exam for Patients With Diabetes

(continued)

Description	Codes*
Diabetic Retinal Screening	<b>CPT:</b> 67028, 67030, 67031, 67036, 67039–67043, 67101, 67105, 67107, 67108, 67110, 67113, 67121, 67141, 67145, 67208, 67210, 67218, 67220, 67221, 67227, 67228, 92002, 92004, 92012, 92014, 92018, 92019, 92134, 92201, 92202, 92225–92228, 92230, 92235, 92240, 92250, 92260, 99203–99205, 99213–99215, 99242–99245 <b>HCPCS:</b> S0620, S0621, S3000
Diabetic Retinal Screening Negative in Prior Year	<b>CPT:</b> 3072F
Unilateral Eye Enucleation With a Bilateral Modifier	<b>CPT:</b> 65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114 <b>CPT Modifier:</b> 50
Palliative Care	<b>HCPCS:</b> G9054, M1017 <b>ICD-10:</b> Z51.5
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046 <b>CPT:</b> 99377, 99378

\*Codes subject to change

### Action

- ✓ Make sure your patients with diabetes complete a retinal or dilated eye exam annually that is reviewed by an ophthalmologist or optometrist
- ✓ If patient tests negative for retinopathy, eye exam can be performed every other year

(continued)

## (EED) Eye Exam for Patients With Diabetes

(continued)

### Tips and Best Practices

- ✓ Conduct outreach to diabetic population about yearly Dilated Retinal Exams
- ✓ Remind patients concerned with costs of Dilated Retinal Exams that it's a covered medical benefit
- ✓ Support exam scheduling at accessible in-network facility during patient visit and have referrals easily accessible or standing orders
- ✓ Reach out to your Quality or Provider Network Management Representative to find out about retinal camera rental or if your patient is eligible for in-home retinal screening

### Earn Rewards!

Providers contracted through Meridian, MeridianComplete, Ambetter from Meridian, and Wellcare are eligible for rewards through the following provider incentive programs:

- ✓ Wellcare Partnership for Quality - \$40
- ✓ Meridian Pay for Performance - \$40/\$55/\$70
- ✓ Ambetter from Meridian Pay for Performance - \$25
- ✓ Meridian Quality Bonus Program



## (HBD) Hemoglobin A1c Control for Patients With Diabetes

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Ambetter from Meridian (Marketplace)
- ✓ Wellcare (Medicare)

(continued)

# (HBD) Hemoglobin A1c Control for Patients With Diabetes *(continued)*

## Description

Measure evaluates percentage of members 18-75 years of age with diabetes (type 1 and type 2) whose hemoglobin A1c (HbA1c) was at the following levels during the measurement year:

- ✓ HbA1c control (<8.0%)
- ✓ HbA1c poor control (>9.0%)

Description	Codes*
HbA1c Level Less Than 7	<b>CPT-CAT-II:</b> 3044 F
HbA1c Level Greater Than/ Equal to 7 and Less Than 8	<b>CPT-CAT-II:</b> 3051F
HbA1c Level Greater Than/ Equal to 8 and Less Than/ Equal to 9	<b>CPT-CAT-II:</b> 3052F
HbA1c Greater Than 9	<b>CPT-CAT-II:</b> 3046F
Palliative Care	<b>HCPCS:</b> G9054, M1017 <b>ICD-10:</b> Z51.5
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046 <b>CPT:</b> 99377, 99378

\*Codes subject to change

## Action

- ✓ Perform at least one HbA1c test annually
- ✓ For results >8%, repeat the test later in the measurement year

## Tips and Best Practices

- ✓ Discuss the importance of HbA1c/blood glucose control in patients with diabetes and long-term effects of elevated blood glucose
- ✓ Offer referrals to Diabetes Education, Endocrinologist, and/or Dietician

*(continued)*

## (HBD) Hemoglobin A1c Control for Patients With Diabetes *(continued)*

- ✓ Offer lab testing on-site or support lab scheduling at accessible in-network facility during patient visit and have referrals easily accessible or standing orders
- ✓ Reach out to your Quality or Provider Network Management Representative to find out if your patient received a HbA1c home test kit from the health plan
- ✓ For patients taking diabetes medication, encourage adherence by providing 90-day prescriptions. Your patient may be eligible for prescription delivery by mail through CVS CareMark
- ✓ Your patient may be eligible for diabetes education services through an approved in network provider

### **Earn Rewards!**

Providers contracted through Meridian, MeridianComplete, Ambetter from Meridian, and Wellcare are eligible for rewards through the following provider incentive programs:

- ✓ Wellcare Partnership for Quality - \$50
  - ✓ Meridian Pay for Performance - \$30/\$40/\$50
  - ✓ Meridian Quality Bonus Program
-



# (HBD) Hemoglobin A1c Control for Patients With Diabetes

## Product Lines:

- ✓ Meridian (Medicaid)
- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Ambetter from Meridian (Marketplace)
- ✓ Wellcare (Medicare)

## Description

Measure evaluates percentage of members 18-75 years of age with diabetes (type 1 and type 2) whose hemoglobin A1c (HbA1c) was at the following levels during the measurement year:

- ✓ HbA1c control (<8.0%)
- ✓ HbA1c poor control (>9.0%)

Description	Codes*
HbA1c Level Less Than 7	<b>CPT-CAT-II:</b> 3044 F
HbA1c Level Greater Than/ Equal to 7 and Less Than 8	<b>CPT-CAT-II:</b> 3051F
HbA1c Level Greater Than/ Equal to 8 and Less Than/ Equal to 9	<b>CPT-CAT-II:</b> 3052F
HbA1c Greater Than 9	<b>CPT-CAT-II:</b> 3046F
Palliative Care	<b>HCPCS:</b> G9054, M1017 <b>ICD-10:</b> Z51.5
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046 <b>CPT:</b> 99377, 99378

\*Codes subject to change

# (HBD) Hemoglobin A1c Control for Patients With Diabetes *(continued)*

## Action

- ✓ Perform at least one HbA1c test annually
- ✓ For results >8%, repeat the test later in the measurement year

## Tips and Best Practices

- ✓ Discuss the importance of HbA1c/blood glucose control in patients with diabetes and long-term effects of elevated blood glucose
- ✓ Offer referrals to Diabetes Education, Endocrinologist, and/or Dietician
- ✓ Offer lab testing on-site or support lab scheduling at accessible in-network facility during patient visit and have referrals easily accessible or standing orders
- ✓ Reach out to your Quality or Provider Network Management Representative to find out if your patient received a HbA1c home test kit from the health plan
- ✓ For patients taking diabetes medication, encourage adherence by providing 90-day prescriptions. Your patient may be eligible for prescription delivery by mail through CVS CareMark
- ✓ Your patient may be eligible for diabetes education services through an approved in network provider

## Earn Rewards!

Providers contracted through Meridian, MeridianComplete, Ambetter from Meridian, and Wellcare are eligible for rewards through the following provider incentive programs:

- ✓ Wellcare Partnership for Quality - \$50
- ✓ Meridian Pay for Performance - \$30/\$40/\$50
- ✓ Meridian Quality Bonus Program





## (KED) Kidney Health Evaluation for Patients With Diabetes

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Ambetter from Meridian (Marketplace)
- ✓ Wellcare (Medicare)

### Description

The percentage of members 18–85 years of age with diabetes (type 1 and type 2) who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) and a urine albumin-creatinine ratio (uACR), during the measurement year.

Description	Codes*
Estimated Glomerular Filtration Rate (eGFR)	<b>CPT:</b> 80047, 80048, 80050, 80053, 80069, 82565
Urine Creatinine Lab Test	<b>CPT:</b> 82570
Quantitative Urine Albumin Lab Test	<b>CPT:</b> 82043
Urine Albumin Creatinine Ratio Lab Test	<b>LOINC:</b> 13705-9, 14958-3, 14959-1, 30000-4, 32294-1, 44292-1, 59159-4, 76401-9, 77253-3, 77254-1, 89998-9, 9318-7
ESRD Diagnosis	<b>ICD:</b> N18.5, N18.6, Z99.2
Dialysis Procedure	<b>CPT:</b> 90935, 90937, 90945, 90947, 90997, 90999, 99512 <b>HCPCS:</b> G0257, S9339
Palliative Care	<b>HCPCS:</b> G9054, M1017 <b>ICD-10:</b> Z51.5
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046 <b>CPT:</b> 99377, 99378

\*Codes subject to change

(continued)



# (KED) Kidney Health Evaluation for Patients With Diabetes *(continued)*

## **Action**

- ✓ Perform both eGFR and uACR testing annually for patients with diabetes. UACR testing can be either of the following:
  - Urine Albumin Creatinine Ratio Lab Test
  - Both a quantitative urine albumin lab test and a urine creatinine test with service dates four days or less apart

## **Tips and Best Practices**

- ✓ Encourage members to have annual testing for appropriate identification, staging, monitoring and treatment of kidney disease
  - ✓ Offer lab testing on-site or support lab scheduling at accessible in-network facility during patient visit and have referrals easily accessible or standing orders
  - ✓ Your patient may be eligible for diabetes education services through an approved in network provider
  - ✓ Reach out to your Quality or Provider Network Management Representative to find out if your patient received an eGFR and uACR home test kit from the health plan
-



## (SSD) Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who are Using Antipsychotic Medication

### Product Lines:

- ✓ Meridian (Medicaid)

### Description

Measure evaluates percentage of members 18-64 years of age with schizophrenia, schizoaffective disorder or bipolar disorder, who were dispensed an antipsychotic medication and had a diabetes screening test during the measurement year.

DESCRIPTION	CODES*
HbA1c Lab Tests	<b>CPT:</b> 83036, 83037 <b>CPT-CAT-II:</b> 3046F, 3051F, 3052F, 3044F
Glucose Lab Tests	<b>CPT:</b> 80047, 80048, 80050, 80053, 80069, 82947, 82951
Hospice Care	<b>CPT:</b> 99377, 99378 <b>HCPCS:</b> G9473 – G9479, Q5003 – Q5008, Q5010, S9126, T2042 – T2046

\*Codes subject to change

### Action

- ✓ Ensure patients who have one or more antipsychotic prescriptions have HbA1c testing or glucose testing completed in the measurement year

### Tips and Best Practices

- ✓ Educate patients on risks of hyperglycemia associated with antipsychotic medication treatment
- ✓ Address concerns regarding side effects and how to manage them
- ✓ Offer lab testing on-site or support lab scheduling at accessible in-network facility during patient visit and have referrals easily accessible or standing orders



## (TRC) Transitions of Care

### Product Lines:

- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Wellcare (Medicare)

### Description

Measure evaluates percentage of discharges for members 18 years of age and older who had each of the following:

- ✓ Notification of Inpatient Admission: Documentation of receipt of notification of inpatient admission on the day of admission through 2 days after the admission
- ✓ Receipt of Discharge Information: Documentation of receipt of discharge information on the day of discharge through 2 days after the discharge
- ✓ Patient Engagement After Inpatient Discharge: Documentation of patient engagement provided within 30 days after discharge
- ✓ Medication Reconciliation Post-Discharge: Documentation of medication reconciliation on the date of discharge through 30 days after discharge

DESCRIPTION	CODES*
Medication Reconciliation	<b>CPT:</b> 998483, 99495, 99496 CPT-CAT-II: 1111F <b>HCPCS:</b> S0620, S0621, G0402, G0438, G0439, G0463, T1015
Outpatient	<b>CPT:</b> 99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99429, 99456, 99483 <b>HCPCS:</b> G0402, G0438, G0439, G0463, T1015
Telephone Visits	<b>CPT:</b> 98966, 98967, 98968, 99441, 99442, 99443
Hospice Care	<b>CPT:</b> 99377, 99378 <b>HCPCS:</b> G9473 – G9479, Q5003 – Q5008, Q5010, S9126, T2042 – T2046

\*Codes subject to change

## **(TRC) Transitions of Care** *(continued)*

### **Action**

- ✓ Document in the member's medical record the date the PCP was notified of the member's in-patient hospital admission
- ✓ Obtain discharge summaries from inpatient facilities within 3 days of discharge
- ✓ Reach out to member immediately after you receive notification that they have been discharged to set up a follow-up visit within 30 days. This can be an office visit, home visit, phone call or telehealth visit
- ✓ During follow-up visit, review all of member's current medications compared to medications prior to admission

### **Tips and Best Practices**

- ✓ Investigate and implement a process to receive auto alerts when a member is admitted to or discharged from an inpatient facility
- ✓ Date and time stamp the receipt of notification admission in the member's medical record
- ✓ Date and time stamp the receipt of the discharge summary in the member's medical record
- ✓ Schedule follow-up appointment with primary care provider within the first seven days of discharge, to allow time for rescheduling if needed
- ✓ Reconcile the patient discharge medications to his or her outpatient medications at follow-up visit

### **Earn Rewards!**

Providers contracted through Meridian and Wellcare are eligible for rewards through the following provider incentive programs:

- ✓ MeridianComplete Pay for Performance - \$40
- ✓ Wellcare Partnership for Quality - Medication Reconciliation Post Discharge \$25; Patient Engagement after Inpatient Discharge \$25

*(continued)*

# Women's Health



## (BCS-E) Breast Cancer Screening

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Ambetter from Meridian (Marketplace)
- ✓ Wellcare (Medicare)

### Description

Measure evaluates the percentage of women 50-74 years of age who had a mammogram to screen for breast cancer.

Description	Codes*
Mammography	<b>CPT:</b> 77061-77063, 77065-77067
History of Bilateral Mastectomy	<b>ICD-10:</b> Z90.13
Bilateral Mastectomy	<b>ICD-10:</b> OHTVOZZ <b>ICD-9:</b> 85.42, 85.44, 85.46, 85.48
Unilateral Mastectomy with Bilateral Modifier	<b>CPT:</b> 19180, 19200, 19220, 19240, 19303, 19304, 19305, 19306, 19307 <b>Modifier:</b> 50
Palliative Care	<b>HCPCS:</b> G9054, M1017
Hospice Care	<b>HCPCS:</b> G9473-G9479, Q5003-Q5008, Q5010, S9126, T2042-T2046, 99377, 99378

\*Codes subject to change

### Action

- ✓ Make sure your patient completes a mammogram at least every two years



## (BCS-E) Breast Cancer Screening *(continued)*

### Tips and Best Practices

- ✓ Support mammogram scheduling at accessible in-network facility during patient visit and have referrals easily accessible or standing orders
- ✓ Identify barriers to getting mammogram, such as transportation
- ✓ If your patient has had a bilateral mastectomy or two unilateral mastectomies, please be sure to include applicable codes in billing

### Earn Rewards!

Providers contracted through Meridian are eligible for rewards through the following provider incentive and Wellcare programs:

- ✓ Meridian Quality Bonus Program
- ✓ Meridian Pay for Performance - \$25/\$30/\$40
- ✓ Wellcare Partnership for Quality - \$50



## (CCS) Cervical Cancer Screening

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ Ambetter from Meridian (Marketplace)

### Description

This measure demonstrates the percentage of women 21-64 years of age who were screened for cervical cancer using one of the following criteria:

- ✓ Women 21-64 years of age who had cervical cytology performed within last 3 years.
- ✓ Women 30-64 years of age who had cervical high-risk human papillomavirus (hrHPV) testing performed within the last 5 years.
- ✓ Women 30-64 years of age who had cervical cytology/high risk human papillomavirus (hrHPV) co-testing within the last 5 years.

*(continued)*

## (CCS) Cervical Cancer Screening *(continued)*

Description	Codes*
Cervical Cytology Lab Test (21-64)	<b>CPT:</b> 88141–88143, 88147, 88148, 88150, 88152, 88153, 88164–88167, 88174, 88175 <b>HCPCS:</b> G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, P3000, P3001, Q0091
HPV Tests (30-64)	<b>CPT:</b> 87624, 87625 <b>HCPCS:</b> G0476
Hysterectomy with No Residual Cervix and Absence of Cervix Diagnosis	<b>CPT:</b> 57530, 57531, 57540, 57545, 57550, 57555, 57556, 58150, 58152, 58200, 58210, 58240, 58260, 58262, 58263, 58267, 58270, 58275, 58280, 58285, 58290–58294, 58548, 58550, 58552–58554, 58570–58573, 58575, 58951, 58953, 58954, 59856, 59135 <b>ICD-10:</b> Q51.5, Z90.710, Z90.712
Palliative Care	<b>HCPCS:</b> G9054, M1017 <b>ICD-10:</b> Z51.5
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378

\*Codes subject to change

### Action

- ✓ Offer cervical cancer screening in office if possible or support scheduling with accessible in-network provider during patient visits and have referrals easily accessible or standing orders.

### Tips and Best Practices

- ✓ Provide cervical cancer screening reminder at the time of appointment scheduling so the patient is aware and prepared for the exam during the visit
- ✓ Offer support to patients that are fearful of the exam and be mindful of barriers related to trauma history

*(continued)*

## (CCS) Cervical Cancer Screening *(continued)*

- ✓ If your patient has had a total hysterectomy with no residual cervix, please be sure to include applicable codes in billing and document in the medical record

### Earn Rewards!

Providers contracted through Meridian and Ambetter from Meridian are eligible for rewards through the following provider incentive programs:

- ✓ Meridian Quality Bonus Program
- ✓ Meridian Pay for Performance - \$40/\$55/\$70
- ✓ Ambetter from Meridian Pay for Performance - \$25



## (CHL) Chlamydia Screening in Women

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ Ambetter from Meridian (Marketplace)

### Description

Measure evaluates the percentage of women 16-24 years of age who were identified as sexually active and who had at least one test for chlamydia.

Description	Codes*
Chlamydia Tests	<b>CPT:</b> 87110, 87270, 87320, 87490–87492, 87810
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378

\*Codes subject to change

*(continued)*



## (CHL) Chlamydia Screening in Women *(continued)*

### Action

- ✓ Conduct chlamydia screenings at yearly physicals for patients who are sexually active
- ✓ Annual chlamydia screening is recommended for:
  - Women under age 25 identified as sexually active
  - Women 25 and older with risk factors such as new or multiple sex partners or a sex partner who has an STI

### Tips and Best Practices

- ✓ Chlamydia screening can be completed via urine specimen, clinician-collected vaginal swab or self-collected vaginal swab. Providing options to patient may ease fear
- ✓ Include chlamydia screening as a part of routine clinical preventive care, walk-in visits, pregnancy testing, and emergency contraception counseling visits
- ✓ Offer lab testing on-site or support lab scheduling at accessible in-network facility during patient visit and have referrals easily accessible or standing orders
- ✓ Reach out to your Quality or Provider Network Management Representative to find out if your patient received a chlamydia home test kit from the health plan

### Earn Rewards!

Providers contracted through Meridian and Ambetter from Meridian are eligible for rewards through the following provider incentive programs:

- ✓ Meridian Quality Bonus Program
  - ✓ Meridian Pay for Performance - \$40/\$55/\$70
  - ✓ Ambetter from Meridian Pay for Performance - \$25
-



## (OMW) Osteoporosis Management in Women Who Had a Fracture

### Product Lines:

- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Wellcare (Medicare)

### Description

Measure evaluates the percentage of women 67-85 years of age who suffered a fracture and who had either a bone mineral density (BMD) test or prescription for a drug to treat osteoporosis in the six months after the fracture.

Description	Codes*
Bone Mineral Density Tests	<b>CPT:</b> 76977, 77078, 77080, 77081, 77085, 77086
Osteoporosis Medication Therapy	<b>HCPCS:</b> J0897, J1740, J3110, J3111, J3489
Long-Acting Osteoporosis Medications during Inpatient Stay	<b>HCPCS:</b> J0897, J1740, J3489
Palliative Care	<b>HCPCS:</b> G9054, M1017 <b>ICD-10:</b> Z51.5
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378

\*Codes subject to change

Osteoporosis Medications	
Description	Prescription
Bisphosphonates	<ul style="list-style-type: none"> <li>• Alendronate</li> <li>• Alendronate-cholecalciferol</li> <li>• Ibandronate</li> <li>• Risedronate</li> <li>• Zoledronic acid</li> </ul>
Other agents	<ul style="list-style-type: none"> <li>• Abaloparatide</li> <li>• Romosozumab</li> <li>• Denosumab</li> <li>• Teriparatide</li> <li>• Raloxifene</li> </ul>

(continued)

# (OMW) Osteoporosis Management in Women Who Had a Fracture *(continued)*

## Action

- ✓ Make sure that all women ages 65-75 receive a routine osteoporosis screening with a BMD test. For women who have suffered a fracture, complete a BMD test or fill a medication for osteoporosis treatment within six months.

## Tips and Best Practices

- ✓ Appropriate testing or treatment for osteoporosis after the fracture defined by any of the following criteria:
  - A BMD test on the date of fracture or in the 6-month period after fracture
  - Osteoporosis therapy on the date of fracture or in the 6-month period after the fracture
  - A dispensed prescription to treat osteoporosis on the date of fracture or in the 6-month period after the fracture
- ✓ Support BMD scheduling with accessible in-network provider during patient visit
- ✓ Reach out to your Quality or Provider Network Management Representative to find out if your patient is eligible for an in-home BMD

## Earn Rewards!

Providers contracted through Wellcare are eligible for rewards through the following provider incentive programs:

- ✓ Wellcare Partnership for Quality- \$50
-



# (OSW) Osteoporosis Screening in Older Women

## Product Lines:

- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Wellcare (Medicare)

## Description

The percentage of women 65-75 years of age who received osteoporosis screening.

Description	Codes*
Osteoporosis Screening Tests	<b>CPT:</b> 76977, 77078, 77080, 77081, 77085
Palliative Care	<b>HCPCS:</b> G9054, M1017 <b>ICD-10:</b> Z51.5
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378

\*Codes subject to change

## Action

- ✓ Make sure that all women ages 65-75 receive a routine osteoporosis screening with a BMD test
- ✓ BMD tests are the most effective method for determining bone health, identifying osteoporosis, determining risk for fractures, and assessing response to osteoporosis treatment

## Tips and Best Practices

- ✓ Support BMD scheduling with accessible in-network provider during patient visit and have referrals easily accessible or standing orders
- ✓ Review osteoporosis risk factors and long-term effects to reinforce importance of routine screening
- ✓ Provider tool kit and additional resource trainings are available through the Bone Health & Osteoporosis Foundation (BHOF) website at [www.bonehealthandosteoporosis.org/](http://www.bonehealthandosteoporosis.org/)





## (PPC) Prenatal and Postpartum Care

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ Ambetter from Meridian (Marketplace)

### Description

Measure evaluates percentage of deliveries of live births on or between October 8 of the year prior to the measurement year and October 7 of the measurement year. For these women, the measure assesses the following facets of prenatal and postpartum care:

- ✓ **Timeliness of Prenatal Care:** percentage of deliveries that received a prenatal care visit in the first trimester, on or before the enrollment start date, or within 42 days of enrollment in the organization
- ✓ **Postpartum Care:** percentage of deliveries that had a postpartum visit on or between 7 and 84 days after delivery

Description	Codes*
Prenatal Visits	<b>CPT:</b> 99201–99205, 99211–99215, 99241–99245, 99483 <b>HCPCS:</b> G0463, T1015
Prenatal Bundled Services	<b>CPT:</b> 59400, 59425, 52426, 59510, 59610, 59618 <b>HCPCS:</b> H1005
Postpartum Visits	<b>CPT:</b> 57170, 58300, 59430, 99501 <b>CPT-CAT-II:</b> 0503F <b>HCPCS:</b> G0101 <b>ICD-10:</b> Z01.411, Z01.419, Z01.42, Z30.430, Z39.1, Z39.2
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378
Non-Live Births	<b>ICD-10:</b> 000.00, 000.01, 000.101, 000.102, 000.109, 000.111, 000.112, 000.119, 000.201, 000.202, 000.209

\*Codes subject to change

(continued)

## (PPC) Prenatal and Postpartum Care *(continued)*

### Action

- ✓ **For postpartum care,** send a note indicating the date of the visit with a physician, physician's assistant, nurse practitioner, or certified nurse midwife, and at least one of the following:
  - Notation of “postpartum” care
  - Evaluation of weight, blood pressure, breasts, and abdomen
  - Perineal or cesarean incision/wound check
  - Screening for depression, anxiety, tobacco use, substance use, or preexisting mental health disorders
  - Glucose screening for women with gestational diabetes
  - Documentation of topics such as infant care or breastfeeding, resumption of intercourse, birth spacing or family planning, sleep/fatigue, or resumption of physical activity and healthy weight
  
- ✓ **For prenatal care,** send a note indicating the date of the visit with an OB/GYN, Midwife, PCP, Family Medicine, Family Practice, Nurse Practitioner, or Physician Assistant, and at least one of the following:
  - Diagnosis of pregnancy or reference to pregnancy
  - Documentation of LMP, EDD, or Gestational Age
  - Documentation of gravity and parity
  - Positive pregnancy test
  - Basic OB exam that includes one of the following: auscultation for fetal heart tones, pelvic exam with OB observations or measurement of fundal height

*(continued)*

## (PPC) Prenatal and Postpartum Care *(continued)*

### **Tips and Best Practices**

- ✓ Prenatal care should be completed during the first trimester or during the first 42 days after patient enrolls in our plan
- ✓ Refer patients to the health plan's *Start Smart for Baby* program for additional education, support, and resources during pregnancy and postpartum
- ✓ Make the most of the visit by providing other services that may be necessary during OB visit, such as chlamydia screening or cervical cancer screening

### **Earn Rewards!**

Providers contracted through Meridian are eligible for rewards through the following provider incentive programs:

- ✓ Meridian Quality Bonus Program
  - ✓ Meridian Pay for Performance - \$100/\$150/\$200
  - ✓ Ambetter from Meridian Pay for Performance- Postpartum: \$25
-

# Pediatric Health



## (ADD) Follow-Up Care for Children Prescribed ADHD Medication

### Product Lines:

- ✓ Meridian (Medicaid)

### Description

Measure evaluates percentage of children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who had at least three follow up care visits with a practitioner with prescribing authority:

- ✓ At least one follow-up visit within 30 days prescription dispense date
- ✓ At least two follow-up visits 1-9 months after prescription dispense date

Description	Codes*
BH Outpatient Visit	<p><b>CPT:</b> 98960–98962, 99078, 99201–99205, 99211–99215, 99241–99245, 99341–99345, 99347–99350, 99381–99387, 99391–99397, 99401–99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510</p> <p><b>HCPCS:</b> G0155, G0176, G0177, G0409, G0463, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013, H2014-H2020, T1015</p>
Diagnosis or History of Narcolepsy	<p><b>ICD10CM:</b> G47.411, G47.419, G47.421, G47.429</p>
Hospice Care	<p><b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378</p>

\*Codes subject to change

(continued)



## (ADD) Follow-Up Care for Children Prescribed ADHD Medication *(continued)*

### Action

- ✓ Schedule a follow-up appointment within one month for patients newly prescribed ADHD medication. Schedule a follow-up visit while your patient is still in the office

### Tips and Best Practices

- ✓ Schedule two or more visits in the nine months after the initial follow-up visit to continue to monitor your patient's progress
  - ✓ Write prescriptions for 30 days or less to encourage follow-up to assess treatment regimen
  - ✓ Offer flexible appointment availability including evening, weekends, and telehealth options
- 



## (APM) Metabolic Monitoring for Children and Adolescents on Antipsychotics

### Product Lines:

- ✓ Meridian (Medicaid)

### Description

Measure evaluates the percentage of children and adolescents 1-17 years of age who had two or more antipsychotic prescriptions and had metabolic testing. Three rates reported:

- 1 Percentage of children and adolescents on antipsychotics who received blood glucose testing
- 2 Percentage of children and adolescents on antipsychotics who received cholesterol testing
- 3 Percentage of children and adolescents on antipsychotics who received blood glucose and cholesterol testing

*(continued)*

# (APM) Metabolic Monitoring for Children and Adolescents on Antipsychotics *(continued)*

Description (Need either A1c or Glucose and LCL-C or Cholesterol)	Codes*
HbA1c Lab Tests	<b>CPT:</b> 83036, 83037 <b>CPT-CAT-II:</b> 3044F, 3046F, 3051F, 3052F
Glucose Lab Tests	<b>CPT:</b> 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951
LDL-C Lab Tests	<b>CPT:</b> 80061, 83700, 83701, 83704, 83721 <b>CPT-CAT-II:</b> 3048F, 3049F, 3050F
Cholesterol Lab Tests	<b>CPT:</b> 82465, 83718, 83722, 84478
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378

\*Codes subject to change

## Action

- ✓ Ensure patients who had two or more antipsychotic prescriptions have the following testing completed in the measurement year have:
  - A blood glucose test or HbA1C
  - At least one cholesterol or LDL-C test
- ✓ These tests can be on the same or different dates of service

## Tips and Best Practices

- ✓ Offer lab testing on-site or support lab scheduling at accessible in-network facility during patient visits and have referrals easily accessible or standing orders



*(continued)*



## (CIS) Childhood Immunization Status

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ Ambetter from Meridian (Marketplace)

### Description

Measure evaluates the percentage of children who turned two during the measurement year and completed the following immunizations on or before their second birthday:

- ✓ 4 DTAP (diphtheria, tetanus, and acellular pertussis) **or** anaphylaxis **or** encephalitis due to DTAP
- ✓ 3 IPV (polio) **or** anaphylaxis due to IPV
- ✓ 1 MMR (measles, mumps and rubella) **or** history of measles illness, mumps illness, and rubella illness **or** anaphylaxis due to MMR
- ✓ 3 HIB (haemophilus influenza type B) **or** anaphylaxis due to HiB
- ✓ 3 HepB (hepatitis B) **or** anaphylaxis due to HepB or history of HepB illness
- ✓ 1 VZV (chicken pox) **or** history of chicken pox illness **or** anaphylaxis due to VZV
- ✓ 4 PCV (pneumococcal conjugate) **or** anaphylaxis due to PCV
- ✓ 1 HepA (hepatitis A) **or** history of HepA illness **or** anaphylaxis due to HepA
- ✓ 2 or 3 RV (rotavirus) **or** anaphylaxis due to RV
- ✓ 2 FLU (influenza) **or** anaphylaxis due to FLU vaccine

Description	Codes*
DTAP Immunization	<b>CPT:</b> 90697, 90698, 90700, 90723 <b>CVX:</b> 20, 50, 106, 107, 110, 120, 146
Anaphylaxis Due to DTAP	<b>SNOMED:</b> 428281000124107, 428291000124105
Encephalitis Due to DTAP	<b>SNOMED:</b> 1927100009, 1927110008, 192712001

(continued)

## (CIS) Childhood Immunization Status *(continued)*

Description	Codes*
HIB Immunization	<b>CPT:</b> 90644, 90647, 90648, 90697, 90698, 90748 <b>CVX:</b> 17, 46-51, 120, 146, 148
Hep B Immunization	<b>CPT:</b> 90697, 90723, 90740, 90744, 90747, 90748 <b>CVX:</b> 08, 44, 45, 51, 110, 146 <b>HCPCS:</b> G0010
Hep B Illness	<b>ICD-10:</b> B16.0, B16.1, B16.2, B16.9, B17.0, B18.0, B18.1, B19.10, B19.11
IPV Immunization	<b>CPT:</b> 90697, 90698, 90713, 90723 <b>CVX:</b> 10, 89, 110, 120, 146
MMR Immunization	<b>CPT:</b> 90707, 97010 <b>CVX:</b> 03, 94
Measles, Mumps, and Rubella Illness	<b>Measles, ICD-10:</b> B05.0-B05.4, B05.81, B05.89, B05.9 <b>Mumps, ICD-10:</b> B26.0, B26.1, B26.2, B26.3, B26.81, B26.82, B26.83, B26.84, B26.85, B26.89, B26.9 <b>Rubella, ICD-10:</b> B06.00, B06.01, B06.02, B06.09, B06.81, B06.82, B06.89, B06.9
PCV Immunization	<b>CPT:</b> 90670 <b>CVX:</b> 109, 133, 152 <b>HCPCS:</b> G0009
VZV Immunization	<b>CPT:</b> 90710, 90716 <b>CVX:</b> 21, 94
VZV (Chicken Pox) Illness	<b>ICD-10:</b> B01.0, B01.11, B01.12, B01.2, B01.81, B01.89, B01.9, B02.0, B02.1, B02.21, B02.22, B02.23, B02.24, B02.29, B02.30, B02.31, B02.32, B02.33, B02.34, B02.39, B02.7, B02.8, B02.9
Hep A Immunization	<b>CPT:</b> 90633 <b>CVX:</b> 31, 83, 85
HepA Illness	<b>ICD-10:</b> B15.0, B15.9

*(continued)*

## (CIS) Childhood Immunization Status *(continued)*

Description	Codes*
Influenza Immunization	<b>CPT:</b> 90655, 90657, 90661, 90673, 90685-90689, 90674, 90756 <b>CVX:</b> 88, 140, 141, 150, 153, 155, 158, 161, 171, 186 <b>HCPCS:</b> G0008
Rotavirus 2-Dose Immunization	<b>CPT:</b> 90681 <b>CVX:</b> 119
Rotavirus 3-Dose Immunization	<b>CPT:</b> 90680 <b>CVX:</b> 116, 122
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378

\*Codes subject to change

NOTE: Rotavirus is either two dose **or** three dose for compliancy.

### Action

Perform the following immunizations in listed timeframe:

- ✓ **From birth through second birthday**
  - Hepatitis B
- ✓ **From 42 days after birth through second birthday**
  - DTAP, IPV, HIB, PCV, Rotavirus
- ✓ **From 6 months through second birthday**
  - Influenza
- ✓ **From first birthday through second birthday**
  - MMR, VZV, Hepatitis A

### Tips and Best Practices

#### IMMUNIZATION TIPS

- ✓ Try to complete immunizations at scheduled well-exams to reduce the number of appointments

*(continued)*

## (CIS) Childhood Immunization Status *(continued)*

- ✓ Offer immunizations on-site or support scheduling at accessible in-network facility during patient visit and have referrals easily accessible or standing orders
- ✓ Educate patients and parents/guardians on the diseases that are prevented with immunizations
- ✓ Address concerns and fears that parents may have regarding vaccination
- ✓ Recommend the following reputable health resources for parent-friendly information and answers to common questions
  - Centers for Disease Control & Prevention (CDC) website at **[www.cdc.gov/vaccines/parents/index.html](http://www.cdc.gov/vaccines/parents/index.html)**
  - Michigan Department of Health and Human Services (MDHHS) website at **[ivaccinate.org/answering-your-questions](http://ivaccinate.org/answering-your-questions)**

### **Earn Rewards!**

Providers contracted through Meridian are eligible for rewards through the following provider incentive programs:

- ✓ Meridian Quality Bonus Program
- ✓ Meridian Pay for Performance - \$40/\$55/\$70



## (IMA) Immunizations for Adolescents

### **Product Lines**

- ✓ Meridian (Medicaid)
- ✓ Ambetter from Meridian (Marketplace)

### **Description**

Measure evaluates the percentage of adolescents who turned 13 during the measurement year and completed the following immunizations on or before their 13th birthday:

*(continued)*

## (IMA) Immunizations for Adolescents *(continued)*

- ✓ 1 Meningococcal **or** anaphylaxis due to Meningococcal
- ✓ 1 Tdap (tetanus, diphtheria toxoids and acellular pertussis) **or** anaphylaxis or encephalitis due to Tdap
- ✓ 2 or 3 HPV (human papillomavirus) **or** anaphylaxis due to HPV

Description	Codes*
Meningococcal Immunization	<b>CPT:</b> 90619, 90733, 90734 <b>CVX:</b> 32, 108, 114, 136, 147, 167, 203
Tdap Immunization	<b>CPT:</b> 90715 <b>CVX:</b> 115
HPV Immunization	<b>CPT:</b> 90649-90651 <b>CVX:</b> 62, 118, 137, 165
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378

\*Codes subject to change

### Action

Perform the following immunizations in listed timeframe:

- ✓ **From 9th through 13th birthday**
  - HPV (first and second doses must be 146 days apart)
- ✓ **From 10th through 13th birthday**
  - Tdap
- ✓ **From 11th through 13th birthday**
  - Meningococcal

### Tips and Best Practices

- ✓ Try to complete immunizations at scheduled well-exams to reduce the number of appointments
- ✓ Offer immunizations on-site or support scheduling at accessible in-network facility during patient visit and have referrals easily accessible or standing orders

*(continued)*

## (IMA) Immunizations for Adolescents *(continued)*

- ✓ Advise that the HPV vaccination is preventive. Although their child may not currently be sexually active, it is important to receive the HPV vaccination now to prevent their child from getting HPV in the future
- ✓ Recommend the following reputable health resources for parent-friendly information and answers to common questions:
  - Centers for Disease Control & Prevention (CDC) website at **[www.cdc.gov/vaccines/parents/index.html](http://www.cdc.gov/vaccines/parents/index.html)**
  - Michigan Department of Health and Human Services (MDHHS) website at **[ivaccinate.org/answering-your-questions](http://ivaccinate.org/answering-your-questions)**

### Earn Rewards!

Providers contracted through Meridian are eligible for rewards through the following provider incentive programs:

- ✓ Meridian Quality Bonus Program
- ✓ Meridian Pay for Performance - \$25/\$30/\$40



## (LSC) Lead Screening in Children

### Product Lines

- ✓ Meridian (Medicaid)

### Description

Measure evaluates the percentage of children who turned 2 during the measurement year who had one or more capillary or venous lead blood test for lead poisoning by their second birthday.

Description	Codes*
Lead Tests	<b>CPT:</b> 83655
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378

\*Codes subject to change

*(continued)*



## (LSC) Lead Screening in Children *(continued)*

### Action

- ✓ Perform capillary or venous blood lead screening for all children on or before their second birthday
- ✓ Remember to follow up with patients that have not completed lead testing after a lab

### Tips and Best Practices

- ✓ Offer testing on-site or support scheduling at accessible in-network facility during patient visit and have referrals easily accessible or standing orders
- ✓ Enter lead screening results in the Michigan Care Improvement Registry (MCIR)
- ✓ Reach out to your Quality or Provider Network Management Representative to find out about Point of Care Lead Analyzers for your office

### Earn Rewards!

Providers contracted through Meridian are eligible for rewards through the following provider incentive programs:

- ✓ Meridian Quality Bonus Program
  - ✓ Meridian Pay for Performance - \$25/\$30/\$40
- 



## (WCV) Child and Adolescent Well-Care Visits

### Product Lines

- ✓ Meridian (Medicaid)

### Description

Measure evaluates the percentage of members 3-21 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.

*(continued)*

# (WCV) Child and Adolescent Well-Care Visits

(continued)

Description	Codes*
Well-Care Visits	<b>CPT:</b> 99381–99385, 99391–99395, 99461 <b>HCPCS:</b> G0438, G0439, S0302, S0610, S0612, S0613 <b>ICD-10:</b> Z00.00, Z00.01, Z00.121, Z00.129
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378

\*Codes subject to change

## Action

- ✓ Perform annual checkups to evaluate physical, developmental, behavioral, and emotional well-being. Use this as an opportunity to offer guidance and counseling to parents

## Tips and Best Practices

- ✓ When a child is in your office for a sick visit or back-to-school/sports physical, also conduct a well-child visit if appropriate. Simply add the modifier 25 to the sick visit or physical visit and bill for the appropriate well-visit
- ✓ Well-care visits can be completed via telehealth. For more information about telehealth visits at [www.cms.gov/files/document/general-telemedicine-toolkit.pdf](http://www.cms.gov/files/document/general-telemedicine-toolkit.pdf)
- ✓ Screening and counseling for obesity should occur at these visits by calculating a child's Body Mass Index (BMI) percentile for gender and age or plotting the value on a growth curve. Discuss physical activity and nutrition at every visit
- ✓ While a patient is in your office for a well-child visit, administer required vaccinations and testing
- ✓ For American Academy of Pediatrics (AAP) and Bright Futures recommendations for preventive pediatric health care, check out the Periodicity Schedule at [downloads.aap.org/AAP/PDF/periodicity\\_schedule.pdf](http://downloads.aap.org/AAP/PDF/periodicity_schedule.pdf)

(continued)

# (WCV) Child and Adolescent Well-Care Visits

(continued)

## Earn Rewards!

Providers contracted through Meridian are eligible for rewards through the following provider incentive programs:

- ✓ Meridian Quality Bonus Program
- ✓ Meridian Pay for Performance - \$25/\$30/\$40



## (W30) Well Child Visits in the First 30 Months of Life

### Product Lines

- ✓ Meridian (Medicaid)
- ✓ Ambetter from Meridian (Marketplace)

### Description

Measure evaluates the percentage of members who turned 15 or 30 months old during the measurement year and who had:

- ✓ **15 months:** 6 or more well-child visits between the ages of 0-15 months
- ✓ **30 months:** two or more well-child visits between the ages of 15-30 months

Description	Codes*
Well-Care Visits	<b>CPT:</b> 99381–99385, 99391–99395, 99461 <b>HCPCS:</b> G0438, G0439, S0302, S0610, S0612, S0613 <b>ICD-10:</b> Z00.00, Z00.01, Z00.121, Z00.129
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378

\*Codes subject to change

# (W30) Well Child Visits in the First 30 Months of Life *(continued)*

## Action

- ✓ Complete appointments with all assigned patients according to the Bright Futures/American Academy of Pediatrics (AAP) Recommendations for Preventive Pediatric Health Care Periodicity Schedule

## Tips and Best Practices

- ✓ When a child is in your office for a sick visit or back-to-school/sports physical, also conduct a well-child visit if appropriate. Simply add the modifier 25 to the sick visit or physical visit and bill for the appropriate well-visit
- ✓ Well-care visits can be completed via telehealth. For more information about telehealth visits: [www.cms.gov/files/document/general-telemedicine-toolkit.pdf](http://www.cms.gov/files/document/general-telemedicine-toolkit.pdf)
- ✓ Screening and counseling for obesity should occur at these visits by calculating a child's Body Mass Index (BMI) percentile for gender and age or plotting the value on a growth curve. Discuss physical activity and nutrition at every visit
- ✓ While a patient is in your office for a well-child visit, administer required vaccinations and testing
- ✓ Schedule next appointment at close of visit and offer flexible appointment availability including evening, weekends, telehealth, and family appointments

## Earn Rewards!

Providers contracted through Meridian are eligible for rewards through the following provider incentive programs:

- ✓ Meridian Quality Bonus Program
- ✓ Meridian Pay for Performance - First 15 months - \$40/\$55/\$70; 15-30 months - \$25/\$30/\$40





# (WCC) Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

## Product Lines

- ✓ Meridian (Medicaid)
- ✓ Ambetter from Meridian (Marketplace)

## Description

Measure evaluates the percentage of members 3-17 years of age who had an outpatient visit with a PCP or OB/GYN and who had evidence of the following:

- ✓ BMI Percentile documentation
- ✓ Counseling for Nutrition
- ✓ Counseling for Physical Activity

Description	Codes*
BMI Percentile	<b>ICD-10:</b> Z68.51, Z68.52, Z68.53, Z68.54
Nutrition Counseling	<b>CPT:</b> 97802, 97803, 97804 <b>HCPCS:</b> G0270, G0271, G0447, S9449, S9452, S9470 <b>ICD-10:</b> Z71.3
Physical Activity	<b>HCPCS:</b> G0447, S9451 <b>ICD-10:</b> Z02.5, Z71.82
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378

\*Codes subject to change

## Action

- ✓ Complete a BMI percentile assessment at any visit for patients between 3 and 17 years of age. BMI percentile should be calculated or plotted on an appropriate age-growth chart
- ✓ Complete a nutrition and physical activity assessment followed by counseling or anticipatory guidance at any visit for patients 3 to 17 years of age

(continued)

# (WCC) Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents *(continued)*

## Tips and Best Practices

- ✓ This measure couples well with well-child visits. Both measures will benefit from one visit. Please ensure correct coding when billing for both measures
- ✓ Utilize sick visits and sports physicals to also complete this measure. Include and document all three measure components during a sick visit for a compliant WCC record
- ✓ When counseling for nutrition, discuss appropriate food intake, healthy eating habits, issues including body image and eating disorders, etc.
- ✓ When counseling for physical activity, discuss organized sports, activities, and document age-appropriate activity such as “rides bike for 30 minutes a day”

## Earn Rewards!

Providers contracted through Meridian are eligible for rewards through the following provider incentive programs:

- ✓ Meridian Quality Bonus Program
-

# General Health



## (AMR) Asthma Medication Ratio

### Product Lines

- ✓ Meridian (Medicaid)
- ✓ Ambetter from Meridian (Marketplace)

### Description

Measure evaluates the percentage of members 5-64 years of age who were identified as having persistent asthma and had a ratio of controller medications to total asthma medication of 0.50 or greater.

Asthma Reliever Medications		
Description	Prescriptions	Route
Short-acting, inhaled beta-2 agonists	Albuterol	Inhalation
Short-acting, inhaled beta-2 agonists	Levalbuterol	Inhalation

Asthma Controller Medications		
Description	Prescriptions	Route
Antibody inhibitors	Omalizumab	Injection
Anti-interleukin-4	Dupilumab	Injection
Anti-interleukin-5	Benralizumab	Injection
Anti-interleukin-5	Mepolizumab	Injection
Anti-interleukin-5	Reslizumab	Injection
Inhaled steroid combinations	Budesonide-formoterol	Inhalation
Inhaled steroid combinations	Fluticasone-salmeterol	Inhalation
Inhaled steroid combinations	Fluticasone-vilanterol	Inhalation
Inhaled steroid combinations	Formoterol-mometasone	Inhalation
Inhaled corticosteroids	Beclomethasone	Inhalation

(continued)

## (AMR) Asthma Medication Ratio *(continued)*

Asthma Controller Medications		
Description	Prescriptions	Route
Inhaled corticosteroids	Budesonide	Inhalation
Inhaled corticosteroids	Ciclesonide	Inhalation
Inhaled corticosteroids	Flunisolide	Inhalation
Inhaled corticosteroids	Fluticasone	Inhalation
Inhaled corticosteroids	Mometasone	Inhalation
Leukotriene modifiers	Montelukast	Oral
Leukotriene modifiers	Zafirlukast	Oral
Leukotriene modifiers	Zileuton	Oral
Methylxanthines	Theophylline	Oral

\*Codes subject to change

### Action

- ✓ Prescribe controller medications and evaluate treatment plan regularly to assess effective and rescue inhaler over-utilization

### Tips and Best Practices

- ✓ Educate your patients with asthma on the importance of adherence to controller medications to avoid asthma attacks
- ✓ Explain the differences between controller and rescue inhalers and their therapeutic importance
- ✓ Monitor and follow up with your patients regarding their prescription refills
- ✓ Address any barriers to medication adherence, such as access to prescription refills
- ✓ Talk to your patients about common side effects, how long they may last, and how to manage them
- ✓ Encourage adherence by providing 90-day prescriptions
- ✓ Your patient may be eligible for prescription delivery by mail through CVS CareMark

*(continued)*



## (AMR) Asthma Medication Ratio *(continued)*

### Earn Rewards!

Providers contracted through Meridian are eligible for rewards through the following provider incentive programs:

- ✓ Meridian Pay for Performance - \$25/\$30/\$40
- ✓ Ambetter from Meridian Pay for Performance - \$25
- ✓ Meridian Quality Bonus Program



## (CWP) Appropriate Testing for Pharyngitis

### Product Lines

- ✓ Meridian (Medicaid)
- ✓ Ambetter from Meridian (Marketplace)
- ✓ Wellcare (Medicare)

### Description

This measure demonstrates the percentage of episodes for members 3 years and older where the member was diagnosed with pharyngitis, dispensed an antibiotic, and received a group A streptococcus (strep) test for the episode.

Description	Codes*
Group A Strep Tests	<b>CPT:</b> 87070, 87071, 87081, 87430, 87650, 87651, 87652, 87880
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378

\*Codes subject to change

### Action

- ✓ Perform a rapid strep test or throat culture to confirm diagnosis before prescribing antibiotics.

*(continued)*

## (CWP) Appropriate Testing for Pharyngitis *(continued)*

### Tips and Best Practices

- ✓ Educate patients that an antibiotic is not necessary for viral infections, if rapid strep test and/or throat culture is negative
- ✓ Offer non-antibiotic symptom relief options that can provide comfort for viral infections
- ✓ The Center for Disease Control and Prevention’s Be Antibiotics Aware campaign offers many resources and trainings to help educate patients on appropriateness of antibiotic use on their website at [www.cdc.gov/antibiotic-use/index.html](http://www.cdc.gov/antibiotic-use/index.html)

### Earn Rewards!

Providers contracted through Meridian are eligible for rewards through the following provider incentive programs:

- ✓ Meridian Quality Bonus Program
- 



## (FUH) Follow-Up After Hospitalization for Mental Illness

### Product Lines

- ✓ Meridian (Medicaid)
- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Ambetter from Meridian (Marketplace)
- ✓ Wellcare (Medicare)

### Description

Measure evaluates percentage of discharges for members 6 years of age and older who were hospitalized for treatment of selected mental illness or intentional self-harm diagnoses and who had a follow-up visit with a mental health practitioner.

*(continued)*

# (FUH) Follow-Up After Hospitalization for Mental Illness *(continued)*

## Two rates are reported:

- 1 Discharges for which the member received **follow-up within 30 days after discharge**
- 2 Discharges for which the member received **follow-up within 7 days after discharge**

Description	Codes*
BH Outpatient Visit with Mental Health Practitioner	<b>CPT:</b> 98960–98962, 99078, 99201–99205, 99211–99215, 99241–99245, 99341–99345, 99347–99350, 99381–99387, 99391–99397, 99401–99404, 99411, 99483, 99492–99494, 99510 <b>HCPCS:</b> G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013–H2020, T1015
Partial Hospitalization or Intensive Outpatient	<b>HCPCS:</b> G0410, G0411, H0035, H2001, H2012, S0201, S9480, S9484, S9485
Psychiatric Collaborative Care Management	<b>CPT:</b> 99492–99494 <b>HCPCS:</b> G0512
Outpatient POS Value Set	<b>POS:</b> 03, 05, 07, 09, 11–20, 22, 33, 49, 50, 71, 72
Transitional Care Management	<b>CPT:</b> 99495, 99496
Electroconvulsive Therapy	<b>CPT:</b> 90870
Community Mental Health Center	<b>POS:</b> 53
Observation	<b>CPT:</b> 99217, 99218, 99219, 99220
Hospice Care	<b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378

\*Codes subject to change

*(continued)*

# (FUH) Follow-Up After Hospitalization for Mental Illness *(continued)*

## Action

- ✓ Schedule the seven-day follow up visit within five days to allow flexibility in rescheduling. Involve the patient's caregiver regarding the follow-up plan after inpatient discharge
- ✓ If the patient's appointment does not occur within the first seven days post-discharge, please schedule the appointment to occur within 30 days
- ✓ Support follow up scheduling with accessible in-network behavioral health provider during patient visit and have referrals easily accessible

## Tips and Best Practices

- ✓ Follow-up with mental health provider can be completed via telehealth visit
- ✓ Follow-up visit should not be completed on the date of discharge
- ✓ Contact Meridian for assistance locating a mental health provider
- ✓ Identify barriers for the patient and address their concerns
- ✓ Review when to schedule office appointments versus seek urgent care and emergency department care
- ✓ Educate members on appropriate emergency department utilization and transition of care

## Earn Rewards!

Providers contracted through Meridian are eligible for rewards through the following provider incentive programs:

- ✓ MeridianComplete Pay for Performance - \$60





# (IET) Initiation and Engagement of Substance Use Disorder Treatment

## Product Lines

- ✓ Meridian (Medicaid)
- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Ambetter from Meridian (Marketplace)
- ✓ Wellcare (Medicare)

## Description

Measure evaluates percentage of new substance use disorder (SUD) episodes that result in treatment initiation and engagement.

### Two rates are reported:

- 1 Initiation of SUD Treatment:** percentage of new SUD episodes that result in treatment initiation through an inpatient SUD admission, outpatient visit, intensive outpatient encounter or partial hospitalization, telehealth, or medication treatment within 14 days
- 2 Engagement of SUD Treatment:** percentage of new SUD episodes that have evidence of treatment engagement within 34 days of initiation

# (IET) Initiation and Engagement of Substance Use Disorder Treatment *(continued)*

Description	Prescription
Initiation and Engagement/Treatment	<p><b>CPT:</b> 98960–98962, 99078, 99201–99205, 99211–99215, 99241–99245, 99341–99345, 99347–99350, 99384–99387, 99394–99397, 99401–99404, 99408–99409, 99411–99412, 99510, 90791, 90792, 90832–90834, 90836–90840, 90845, 90847, 90849, 90853, 90875–90876, 99221–99223, 99231–99233, 99238, 99239, 99251–99255, 99483, 99217–99220</p> <p><b>HCPS:</b> G0155, G0176, G0177, G0396, G0397, G0409–G0411, G0443, G0463, H0001, H0002, H0004, H0005, H0007, H0015, H0016, H0022, H0031, H0034–H0037, H0039, H0040, H0047, H2000, H2001, H2010–H2020, H2035, H2036, S0201, S9480, S9484, S9485, T1006, T1012, T1015</p>
Hospice Care	<p><b>HCPCS:</b> G9473–G9479, Q5003–Q5008, Q5010, S9126, T2042–T2046, 99377, 99378</p>

\*Codes subject to change

## Action

- ✓ Offer SUD treatment option on-site or support treatment scheduling with accessible in-network treatment facility during patient visit and have referrals easily accessible

## Tips and Best Practices

- ✓ Schedule the initial 14-day treatment visit within 10 days of new SUD episode to allow flexibility in rescheduling
- ✓ At the end of the initial appointment, schedule two more appointments to occur within 34 days of the initial appointment
- ✓ When treating a patient for issues related to SUD, code that diagnosis on every claim

*(continued)*

## (IET) Initiation and Engagement of Substance Use Disorder Treatment *(continued)*

- ✓ Contact Meridian for assistance locating SUD treatment provider, if needed
- ✓ Not all medications may be covered. For a list of covered medications, refer to the drug formulary at **mimeridian.com** or **www.wellcare.com**

\*For the follow-up treatments, include an ICD-10 diagnosis for Alcohol or Other Drug Dependence from the Mental, Behavioral and Neurodevelopmental Disorder Section of ICD-10 along with a procedure code for the preventive service, evaluation, and management consultation or counseling service.

---

# Medication Adherence



## (AMM) Antidepressant Medication Management

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ MeridianComplete (Medicare-Medicaid Plan)
- ✓ Ambetter from Meridian (Marketplace)
- ✓ Wellcare (Medicare)

### Description

Measure evaluates percentage of members 18 years of age and older who were treated with antidepressant medication, had a diagnosis of major depression and who remained on an antidepressant medication treatment.

### Two rates are reported:

- ✓ Percentage of members who remained on an antidepressant medication for at least 84 days (12 weeks)
- ✓ Percentage of members who remained on an antidepressant medication for at least 180 days (six months)

Antidepressant Medications		
Description	Prescription	
Miscellaneous antidepressants	• Bupropion • Vortioxetine	• Vilazodone
Monoamine oxidase inhibitors	• Isocarboxazid • Phenelzine	• Selegiline • Tranylcypromine
Phenylpiperazine antidepressants	• Nefazodone	• Trazodone

(continued)



# (AMM) Antidepressant Medication Management

(continued)

Antidepressant Medications			
Description	Prescription		
Psychotherapeutic combinations	<ul style="list-style-type: none"> <li>• Amitriptyline-chlordiazepoxide</li> <li>• Fluoxetine-olanzapine</li> <li>• Amitriptyline-perphenazine</li> </ul>		
SNRI antidepressants	<ul style="list-style-type: none"> <li>• Desvenlafaxine</li> <li>• Venlafaxine</li> </ul>	<ul style="list-style-type: none"> <li>• Duloxetine</li> <li>• Levomilnacipran</li> </ul>	
SSRI antidepressants	<ul style="list-style-type: none"> <li>• Citalopram</li> <li>• Fluvoxamine</li> </ul>	<ul style="list-style-type: none"> <li>• Escitalopram</li> <li>• Paroxetine</li> </ul>	<ul style="list-style-type: none"> <li>• Fluoxetine</li> <li>• Sertraline</li> </ul>
Tetracyclic antidepressants	<ul style="list-style-type: none"> <li>• Maprotiline</li> </ul>	<ul style="list-style-type: none"> <li>• Mirtazapine</li> </ul>	
Tricyclic antidepressants	<ul style="list-style-type: none"> <li>• Amitriptyline</li> <li>• Desipramine</li> <li>• Nortriptyline</li> </ul>	<ul style="list-style-type: none"> <li>• Amoxapine</li> <li>• Doxepin (&gt;6 mg)</li> <li>• Protriptyline</li> </ul>	<ul style="list-style-type: none"> <li>• Clomipramine</li> <li>• Imipramine</li> <li>• Trimipramine</li> </ul>

## Action

- ✓ Urge patients to fill their prescriptions regularly to encourage medication adherence
- ✓ Encourage medication adherence by providing 90-day prescriptions. Your patient may be eligible for prescription delivery by mail through CVS CareMark

## Tips and Best Practices

- ✓ Discuss how to take antidepressants, how they work, the benefits, and how long to take them
- ✓ Tell your patients how long they can expect to be on the antidepressant before they start to feel better
- ✓ Stress the importance of taking the medication even if they begin feeling better
- ✓ Talk about common side effects, how long they may last, and how to manage them

(continued)

## (AMM) Antidepressant Medication Management

(continued)

- ✓ Monitor for signs and symptoms of serotonin syndrome, suicidal thoughts, allergic reactions, mania, and seizures. Educate patients on proper actions to take if any of these are observed
- ✓ When doses are being adjusted or if therapy is being discontinued, please remember to titrate medication accordingly
- ✓ Let your patients know what to do if they have questions or concerns
- ✓ Monitor with scheduled follow-up appointments

### **Earn Rewards!**

Providers contracted through MeridianComplete and Ambetter from Meridian are eligible for rewards through the following provider incentive programs:

- ✓ MeridianComplete Pay for Performance - \$25





## (PDC-DIA) Medication Adherence for Diabetes Medications

### Product Lines:

- ✓ Wellcare (Medicare)

### Description

Measure evaluates percentage of Medicare Part D members 18 years and older with a prescription for diabetes medication who fill their prescription often enough to cover 80% or more of the time they are supposed to be taking the medication.

Diabetes Medications	
Biguanide Drugs	GLP-1 Receptor Agonists
Sulfonylurea Drugs	Meglitinide Drugs
Thiazolidinedione Drugs	Sodium Glucose Cotransporter 2 (SGLT2) Inhibitors
DiPeptidyl Peptidase (DPP)-4 Inhibitors	

### Action

- ✓ Urge patients to fill their prescriptions regularly to encourage medication adherence
- ✓ Encourage medication adherence by providing 90-day prescriptions. Your patient may be eligible for prescription delivery by mail through CVS CareMark

### Tips and Best Practices

- ✓ Talk with patients about why they're on diabetes medications and why it's important to take their medication as prescribed and get refills promptly
- ✓ Encourage patients to use a pillbox to organize their medications and to set an alarm on their smartphone or clock to remind them to take their medications

(continued)

## (PDC-DIA) Medication Adherence for Diabetes Medications *(continued)*

- ✓ Encourage patients to sign up for refill reminders at their pharmacy
- ✓ Monitor with scheduled follow-up appointments

### Earn Rewards!

Providers contracted through Wellcare are eligible for rewards through the following provider incentive programs:

- ✓ Wellcare Partnership for Quality- \$50



## (PDC-RAS) Medication Adherence for Hypertension- RAS antagonists

### Product Lines:

- ✓ Wellcare (Medicare)

### Description

Measure evaluates percentage of Medicare Part D members 18 years and older with a prescription for a blood pressure medication who fill their prescription often enough to cover 80% or more of the time they are supposed to be taking the medication.

Hypertension Medications	
Angiotensin Converting Enzyme Inhibitors (ACEI)	Angiotensin Receptor Blockers (ARB)
Direct Renin Inhibitor Medications	

### Action

- ✓ Urge patients to fill their prescriptions regularly to encourage medication adherence

*(continued)*

## (PDC-RAS) Medication Adherence for Hypertension- RAS antagonists *(continued)*

- ✓ Encourage medication adherence by providing 90-day prescriptions. Your patient may be eligible for prescription delivery by mail through CVS CareMark

### Tips and Best Practices

- ✓ Talk with patients about why they're on hypertension medication and why it's important to take their medication as prescribed and get refills promptly
- ✓ Encourage patients to use a pillbox to organize their medications and to set an alarm on their smartphone or clock to remind them to take their medications
- ✓ Encourage patients to sign up for refill reminders at their pharmacy
- ✓ Monitor with scheduled follow-up appointments

### Earn Rewards!

Providers contracted through Wellcare are eligible for rewards through the following provider incentive programs:

- ✓ Wellcare Partnership for Quality- \$50



## (PDC-STA) Medication Adherence for Cholesterol (Statins)

### Product Lines:

- ✓ Wellcare (Medicare)

### Description

Measure evaluates percentage of Medicare Part D members 18 years and older with a prescription for a cholesterol medication who fill their prescription often enough to cover 80% or more of the time they are supposed to be taking the medication. *(continued)*

## (PDC-STA) Medication Adherence for Cholesterol (Statins) *(continued)*

### **Action**

- ✓ Urge patients to fill their prescriptions regularly to encourage medication adherence
- ✓ Encourage medication adherence by providing 90-day prescriptions. Your patient may be eligible for prescription delivery by mail through CVS CareMark

### **Tips and Best Practices**

- ✓ Talk with patients about why they're on cholesterol medication and why it's important to take their medication as prescribed and get refills promptly
- ✓ Encourage patients to use a pillbox to organize their medications and to set an alarm on their smartphone or clock to remind them to take their medications
- ✓ Encourage patients to sign up for refill reminders at their pharmacy
- ✓ Monitor with scheduled follow-up appointments

### **Earn Rewards!**

Providers contracted through Wellcare are eligible for rewards through the following provider incentive programs:

- ✓ Wellcare Partnership for Quality- \$50
- 



## (SPC) Statin Therapy for Patients with Cardiovascular Disease

### **Product Lines:**

- ✓ Meridian (Medicaid)
- ✓ Wellcare (Medicare)

*(continued)*

## (SPC) Statin Therapy for Patients with Cardiovascular Disease *(continued)*

### Description

Measure evaluates percentage of males 21-75 years of age and females 40-75 years of age during the measurement year who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) and met the following criteria.

### Two rates are reported:

- ✓ **Received Statin Therapy:** Percentage of members who were dispensed at least one high-intensity or moderate intensity statin medication during the measurement year.
- ✓ **Statin Adherence 80%:** Percentage of members who remained on a high-intensity or moderate-intensity statin medication for at least 80% of the treatment period.

Description	Prescription
<b>High-intensity statin therapy</b>	Atorvastatin 40-80 mg Amlodipine-atorvastatin 40-80 mg Rosuvastatin 20-40 mg Simvastatin 80 mg Ezetimibe-simvastatin 80 mg
<b>Moderate-intensity statin therapy</b>	Atorvastatin 10-20 mg Amlodipine-atorvastatin 10-20 mg Rosuvastatin 5-10 mg Simvastatin 20-40 mg Ezetimibe-simvastatin 20-40 mg Pravastatin 40-80 mg Lovastatin 40 mg Fluvastatin 40-80 mg Pitavastatin 1-4 mg

*(continued)*

## (SPC) Statin Therapy for Patients with Cardiovascular Disease *(continued)*

### Action

- ✓ Urge patients to fill their prescriptions regularly to encourage medication adherence
- ✓ Encourage medication adherence by providing 90-day prescriptions. Your patient may be eligible for prescription delivery by mail through CVS CareMark

### Tips and Best Practices

- ✓ Talk about common side effects, how long they may last, and how to manage them
- ✓ Monitor with scheduled follow-up appointments

### Earn Rewards!

Providers contracted through Wellcare are eligible for rewards through the following provider incentive programs:

- ✓ Wellcare Partnership for Quality- \$50



---

## (SPD) Statin Therapy for Patients with Diabetes

### Product Lines:

- ✓ Meridian (Medicaid)
- ✓ Wellcare (Medicare)

### Description

Measure evaluates percentage of members 40-75 years of age during the measurement year with diabetes who do not have clinical atherosclerotic cardiovascular disease (ASCVD) who met the following criteria.

*(continued)*



# (SPD) Statin Therapy for Patients with Diabetes

(continued)

## Two rates are reported:

- ✓ **Received Statin Therapy:** Percentage of members who were dispensed at least one statin medication of any intensity during the measurement year.
- ✓ **Statin Adherence 80%:** Percentage of members who remained on a statin medication of any intensity for at least 80% of the treatment period.

Description	Prescription
<b>High-intensity statin therapy</b>	Atorvastatin 40-80 mg Amlodipine-atorvastatin 40-80 mg Rosuvastatin 20-40 mg Simvastatin 80 mg Ezetimibe-simvastatin 80 mg
<b>Moderate-intensity statin therapy</b>	Atorvastatin 10-20 mg Amlodipine-atorvastatin 10-20 mg Rosuvastatin 5-10 mg Simvastatin 20-40 mg Ezetimibe-simvastatin 20-40 mg Pravastatin 40-80 mg Lovastatin 40 mg Fluvastatin 40-80 mg Pitavastatin 1-4 mg
<b>Low-intensity statin therapy</b>	Ezetimibe-simvastatin 10 mg Fluvastatin 20 mg Lovastatin 10-20 mg Pravastatin 10-20 mg Simvastatin 5-10 mg

(continued)

# (SPD) Statin Therapy for Patients with Diabetes

(continued)

## Action

- ✓ Urge patients to fill their prescriptions regularly to encourage medication adherence
- ✓ Encourage medication adherence by providing 90-day prescriptions. Your patient may be eligible for prescription delivery by mail through CVS CareMark

## Tips and Best Practices

- ✓ Talk about common side effects, how long they may last, and how to manage them
- ✓ Monitor with scheduled follow-up appointments



\*For the follow-up treatments, include an ICD-10 diagnosis for Alcohol or Other Drug Dependence from the Mental, Behavioral and Neurodevelopmental Disorder Section of ICD-10 along with a procedure code for the preventive service, evaluation, and management consultation or counseling service.

